



☆ベルトリダクションドライブシャフト関係

〈 POSI FLEX COUPLER 〉ドライブシャフト システム



☆STANDARD COUPLER




TOTAL LENGTH (全長)

- ROTAX 503 or CUYUNA 25-1/2"(647.7cm)
- ROTAX 377.447 27-1/4"(692.15cm)

- #01-8110 ¥47,300
(MX II. MXL II. ROTAX 503. CUYUNA 430 用)
- #01-8111 ¥47,300
(MX. MXL. ROTAX 377/447 用)

☆HIGT THRUST COPLER




TOTAL LENGTH (全長)

- ROTAX 503 26-3/4"(679.45cm)

- #01-8110 ¥47,300
(MX II. MXL II. ROTAX 503. CUYUNA 430 用)

- NAT #01-8130 ¥670
- WASHER #01-1825 ¥80

☆CUPLERS PARTS



商品番号	商品	価格
1) 01-8116	COUPIER ADAPTER	¥16,900
2) 01-8117	COUPLE BODY	¥18,150
3)	5/8" NYLON LOCK NUT	
4)	TORGUE WASHER	
5)	SPLINE	
6) 01-8119	COUPLER RETAINER	¥3,680
7) 01-8120	5/16" ASSEMBLY SCREWS	¥2,320
8) 01-8121	1/2" HEX BOLT & WASHERS	¥1,230
10) 01-8115	RUBBER BARREL SET(8ヶ)	¥6,800


※以下の商品は3)・4)・5)・9)がセットになっています。

商品番号	商品	価格
01-8113	ROTAX503. CUYUNA SHAFT W/SPLINE MX II. MXL 用	¥29,980
01-8114	ROTAX377/477 SHAFT W/SPLINE MX II. MXL 用	¥29,980
01-8118	ROTAX447/503 SHAFT W/SPLINE SPRINT. SPORT. SPRINT II. SPORT II. MXHP. MXL用	¥29,980

☆リダクションベルト



商品番号	商品	価格(1本)
01-0030035	3VX300 5本タイプ	¥3,460
01-0060034	3VX250 4本タイプ	¥2,580

注)リダクションベルト交換の際には全てのベルトの交換を行って下さい。



503/582 TOP MOUNT フレーム MXII SPRINT. MXLI SPORT

99335-101



- 10024..AK3-10A
- 10040..AK3-15A
- 10056..AK3-27A
- 10064..AK4-11A
- 10080..AK4-13A
- 10100..AK4-14A
- 10120..AK4-15A
- 10150..AK4-17A
- 10170..AK4-20A
- 10220..AK4-24A
- 10305..AK5-10A
- 10324..AK5-27A
- 10381..AK448-24A
- 10392..SCREW
- 10450..CLEVIS PIN
- 10472..T-HANDLE PIN
- 10500..F7110, METAL STOP NUT
- 10510..F7115, METAL STOP NUT
- 10516..AK364-1032A
- 10540..F7120, METAL STOP NUT
- 10550..AK960-316, FLAT WASHER
- 10560..AK960-416, FLAT WASHER
- 10570..AK960-516, FLAT WASHER
- 10600..AK970-5
- 10635..AK380-2-2
- 11075..SCREW
- 20065..CHANNEL
- 20075..CHANNEL
- 20155..CABLE BUSHING
- 20200..RIVET
- 20239..FAIRLEAD
- 20245..PLASTIC CAP
- 20345..WASHER
- 20432..CLAMP
- 45470..FORK
- 45681..KINGPOST CHANNEL
- 45694..KINGPOST PLATE
- 45717..FITTING - TOP KINGPOST
- 45718..FITTING - BASE KINGPOST
- 45857..SPACER
- 70580..CONTROL STICK GRIP
- 91216-01..COPPER TUBING
- 91217..END CAP
- 91292..PLATE
- 91293..CABLE
- 91300..BRAKE LEVER

99335-102




- 20481..WIRE
- 20591..WING CABLE
- 20592..WING CABLE
- 21559..WING CABLE
- 21572..WING CABLE
- 91132..RUDDER CABLE
- 91133..RUDDER CABLE
- 91214..CONDUIT

99335-103

- 40143..ROOT TUBE SPORT II
- 40204..TUBE, KINGPOST FWD
- 40207..TUBE, KINGPOST AFT
- 40368..WIDE STRUT
- 40449..CONTROL STICK
- 41304..TENSION STRUT
- 70353..TUBE, SEAT SUPT DOWN
- 80025..ELEVATOR TUBE
- 80092..AXLE STRUT
- 80130..SPACER


99335-104

- 41232..TUBE, TRI-BAR DOWN
- 41233..TUBE, AFT TRI-BAR DOWN
- 41304..TENSION STRUT
- 70558..TUBE, TRI-BAR CROSS
- 80175..AFT TRI-BAR, UPPER




ROTAX 582 TOP MOUNT 取付 MX II SPRINT. MX II SPORT


UPPER & LOWER ENGINE MOUNTING PLATES



POWERPLANT TO ROOT TUBE ATTACHMENT




MUFFLER ATTACHMENT



- 240-275...REX SCREW
- 241-415...COMBINED SCREW
- 845-310...LOCK WASHER
- 940-581...BOLT
- 10015...AN3-6A
- 10060...AN4-6A
- 10066...AN4-10A
- 10235...AN4-25A
- 10290...AN4-34A
- 10305...AN5-10A
- 10307...AN5-12A
- 10325...AN5-26A
- 10399...AN6-20A
- 10437...WASHER
- 10492...BOLT
- 10500...F7110
- 10510...F7115
- 10540...F7120
- 10547...AN363-624
- 10550...AN960-10
- 10560...AN960-416
- 10570...AN960-516
- 10575...AN960-616
- 10579...WASHER
- 10600...AN970-5
- 10760...AN5-22A
- 11074...SCREW
- 11075...SCREW
- 20103...HEAT SHRINK TUBE
- 20426...CLAMP #10
- 20432...CLAMP
- 20435...CLAMP
- 20467...SAFETY WIRE
- 30070...CONNECTOR, FEMALE SNAP
- 30080...CONNECTOR, MALE SNAP
- 30083...CONNECTOR, MALE
- 30095...WIRE
- 30096...WIRE
- 30210...H7259, FUEL FILTER
- 30220...FUEL LINE
- 30230...H7255, CLAMP
- 30310...SWITCH, IGNITION
- 30380...H6150, RUBBER SHOCK GROMMET
- 30480...TIE WRAP
- 30485...TIE WRAP
- 40343...SPACER
- 45836...ANGLE, ENGINE MOUNT
- 45859...FUEL PUMP MOUNT PLATE
- 45865...ENGINE MOUNT SPACER
- 45866...SPACER
- 45867...ENGINE MOUNT SPACER PLATE
- 45868...ENGINE MOUNT PLATE, LVR
- 45869...ENGINE MOUNT PLATE, UPR
- 46011...BRACKET, SPLITTER CABLE
- 60000...AIR FILTER, BING 36MM
- 60591...LOCTITE 290
- 61036...MOUNT, ENGINE SHOCK
- 61037...WASHER
- 61210...COOLANT HOSE ELBOW
- 61215...COOLANT HOSE CONNECTOR
- 90278...CHOKE CABLE
- 90281...THROTTLE CABLE
- 90285...CABLE SPLITTER
- 90286...THROTTLE CABLE EXTENSION
- 90287...THROTTLE CABLE EXTENSION
- 90288...CHOKE CABLE EXTENSION
- 90289...CHOKE CABLE EXTENSION


FUEL PUMP & RECTIFIER/REGULATOR ATTACHMENT



503/582 TOP MOUNT フレーム/ノーズ可動システム


MXII SPRINT. MXLII SPORT

FIG. 1




- | | |
|-------------|-----------------------------|
| 1 ... 40413 | Root Tube |
| 2 ... 10344 | 1 ... AN5-46A Bolt |
| 3 ... 10570 | 2 ... 5/16" Washer |
| 4 ... 40291 | 2 ... Landing Gear Downtube |
| 5 ... 20270 | 2 ... 1"X1/8" Saddle |
| 6 ... 10540 | 1 ... 5/16" Washer Locknut |


FIG. 1



- | | |
|-------------|----------------------------|
| 1 ... 70558 | Tri-Bar Crosstube |
| 2 ... 80175 | AFT Upper Tri-Bar Assembly |
| 3 ... 40143 | Root Tube |
| 4 ... 10325 | 1 ... AN5-26A Bolt |
| 5 ... 10540 | 1 ... 5/16" Locknut |
| 6 ... 10570 | 1 ... 5/16" Washer |
| 7 ... 10066 | 2 ... AN4-10A Bolt |
| 8 ... 10560 | 4 ... 1/4" Washer |
| 9 ... 10510 | 2 ... 1/4" Locknut |




- | | |
|--------------|--|
| 1 ... 60560 | Steerable Nose Wheel Support Fork Assembly |
| 2 ... 40368 | Nose Strut |
| 3 ... 10140 | 2 ... AN4-16A Bolt |
| 4 ... 10560 | 9 ... 1/4" Washer |
| 5 ... 10510 | 7 ... 1/4" Locknut |
| 6 ... 20270 | 4 ... 1/8"X1" Saddle |
| 7 ... 41304 | Tension Strut |
| 8 ... 60562 | 1 ... Steerable Nose Wheel Fork, 6" |
| 9 ... 10080 | 2 ... AN4-13A Bolt |
| 10 ... 91012 | 1 ... Steerable Nose Wheel Control Arm |
| 11 ... 10100 | 1 ... AN4-14A Bolt |
| 12 ... 30006 | Oilite Bearing |




- | | |
|-------------|--|
| 1 ... 60560 | 1 ... Steerable Nose Wheel Support Fork Assembly |
| 2 ... 10140 | 2 ... AN4-16A Bolt |
| 3 ... 10560 | 2 ... 1/4" Washer |
| 4 ... 10510 | 2 ... 1/4" Locknut |
| 5 ... 40368 | Nose Strut |
| 6 ... 41304 | Tension Strut |
| 7 ... 41301 | Tension Strut Bracket |

503/582 TOP MOUNT 燃料タンク/ブレーキシステム


MXII SPRINT. MXLII SPORT



- | | | | |
|--------|-----------|---------|-------------------------------------|
| 1 ... | 30251 ... | 1 ... | 6 Gallon Fuel Tank Assembly (w/cap) |
| 2 ... | 30282 ... | 1 ... | Cut-Off Valve |
| 3 ... | 30272 ... | 1 ... | Street Tee |
| 4 ... | 30274 ... | 1 ... | 1/4" MPTX1/4" Fuel Hose Adaptor |
| 5 ... | 30273 ... | 1 ... | Drain Valve |
| 6 ... | 30230 ... | 2 ... | Fuel Tank Clamp |
| 7 ... | 3020 ... | A/R ... | Fuel Line |
| 8 ... | 30275 ... | 1 ... | Threaded Fuel Tank Elbow |
| 9 ... | 10301 ... | 1 ... | AN4-46A Bolt |
| 10 ... | 20345 ... | 1 ... | 1/8" ThickX1" O. D. Nylon Washer |
| 11 ... | 40143 ... | | Root Tube |
| 12 ... | 30205 ... | | 3/8"X6"X18" Foam |
| 13 ... | 10560 ... | 1 ... | 1/4" Washer |
| 14 ... | 10510 ... | 1 ... | 1/4" Locknut |
| 15 ... | | | Fuel Tank Vent Hole |
| 16 ... | | | Fuel Tank Cap |
| 17 ... | 20423 ... | 3 ... | Hose Clamp, #6 Narrow |




- | | | | |
|--------|-----------|-------|---|
| 1 ... | 90270 ... | 2 ... | Conduit Threaded Adjuster |
| 2 ... | 20155 ... | 1 ... | Cable Bushing |
| 3 ... | 91292 ... | 2 ... | Brake Cable Link Plate |
| 4 ... | 91293 ... | 1 ... | Brake Cable Adapter Assembly |
| 5 ... | 11075 ... | 2 ... | AN525-10R10 Washer Head Screw |
| 6 ... | 10550 ... | 2 ... | 3/16" Washer |
| 7 ... | 10516 ... | 2 ... | 3/16" Thin Locknut |
| 8 ... | 91300 ... | | Brake Lever Assembly |
| 9 ... | 40449 ... | | Control Stick Assembly |
| 10 ... | 91303 ... | 1 ... | Rubber Boot |
| 11 ... | | 1 ... | Cable Adjuster Assembly (part of P/N 91300) |



- | | | | |
|--------|-----------|-------|-------------------------|
| 1 ... | | | Brake Cable |
| 2 ... | 20432 ... | 2 ... | 3/8" Cushioned Clamp |
| 3 ... | 70407 ... | | Control Cable Guard |
| 4 ... | 10053 ... | | AN3-20A Bolt |
| 5 ... | 10550 ... | | 3/16" Washer |
| 6 ... | 10500 ... | | 3/16" Locknut |
| 7 ... | 10040 ... | | AN3-15A Bolt |
| 8 ... | | | Tab (part of P/N 70555) |
| 9 ... | 70555 ... | | Tri-Bar Crosstube |
| 10 ... | 30220 ... | 6 ... | Fuel Line Stand-Off |
| 11 ... | 30480 ... | 6 ... | 7" Tie Wrap |
| 12 ... | | | Tab (part of P/N 80011) |
| 13 ... | 80011 ... | | Seat Mount Assembly |
| 14 ... | 80092 ... | | Axle Strut (31.25") |

QUICKSILVER[®] MX^L III


THE ORIGINAL



NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40265	SPAR, STAB L.E.	15	41230	TUBE, TRI-BAR DOWN
2	40275	SPAR, STAB T.E.	16	70350	TUBE, SEAT SUPT DOWN
3	70130	SPAR, ELEVATOR L.E.	17	40291	TUBE, L.G. DOWN
4	40333	FRAME, RUDDER	18	70555	TUBE, TRI-BAR CROSS
5	70110	FRAME, ELEVATOR	19	80011	MOUNT, SEAT ASSY
6	40225	TAIL BOOM	20	70231 LW	PEDAL, FOOT
7	40214	KINGPOST, COMPLT	21	J1285	TIRE
8	40462	RIB, UPPER		J1310	TUBE
9	40167	RIB, LOWER	22	J1210	WHEEL HUB
10	80201	WING SPAR T.E.	23	40360	STRUT, NOSE MX
11	80200	WING SPAR L.E.	24	41300	STRUT, TENSION
12	40463	RIB, TIP	25	40312	AXLE
13	40243	STRUT, DIAGONAL	26	71020	STRUT, BELLCRANK
14	40145	TUBE, ROOT ASSY	27	40283 LW	STRUT, COMP
	40142	TUBE, ROOT, BLANK	28	80207	TUBE WING TIP

99990...Quicksilver Ultralight Info Pak...
 847-02..Owner's Manual.....
 99402 ..Assembly Manual.....
 00019...Maintenance Schedule.....

MXLII




NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	20501	UPPER TAIL WIRE	7	41224	LOWER BOOM TUBE
2	30344	PROP - 52x34 LH RECESSED	8	80080	PUSH PULL TUBE
3	60034	BELTS	9	41440	TAIL BRACE TUBE
4	40225	UPPER TAIL BOOM	10	41150	TAIL SKID
5	40170	TAIL MOUNT	11	40243	DIAGONAL STRUT
6	40312	MAIN AXLE			

To determine if your MXLII is high performance or not, the following two questions need to be answered:







- 1) Prop Diameter - MXLII is 52"
MXLIIHP is 66"
- 2) Push/Pull tab location-
MXLII is on the side of the AC
MXLIIHP is down center of the AC

MXLII HIGH PERFORMANCE MODIFICATION KIT









NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	21561	KINGPOST TO UPPER ROOT TB	7	40421	LOWER BOOM TUBE
2	30347	PROP - 66x40 LH ROTAX	8	40178	AFT PUSH PULL TUBE
3	30035x5	BELTS	9	40425	TAIL BRACE TUBE
4	40179	UPPER TAIL BOOM	10	41150	TAIL SKID
5	40172	TAIL MOUNT	11	40420	DIAGONAL STRUT
6	40312	MAIN AXLE			







WING WIRE, BOLT ASSEMBLY - MXLII










WING COMPRESSION STRUT, WING TIP ASSEMBLY - MXLII




AILERON CONTROL ASSEMBLY - MXLII




AILERON ASSEMBLY - MXLII




TRIKE ASSEMBLY - MXIIHP



NOSE ASSEMBLY




AXLE ASSEMBLY




Look for brake parts in the External Brake Components section of catalog.

TRI-BAR ASSEMBLY





FOOT PEDAL ASSEMBLY



91112 RIGHT RUDDER CABLE EXT.
91122 RIGHT RUDDER CABLE
91123 LEFT RUDDER CABLE

A

Diagram illustrating the assembly of the Leading Edge Spar (40130) and Root Tube Assembly (Inverted) for the Right Wing. The diagram shows the spar, root tube, and various fasteners (AN4-26A, AN900-416, 10510, 20310) being installed.



SEAT MOUNT

ELEVATOR CONTROL ASSEMBLY

STICK TELEFLEX ASSEMBLY

Diagram illustrating the Stick Teleflex Assembly, showing the Stick, Seat Mount, and Elevator Control Assembly components and their assembly points.

Stick Teleflex Assembly Components:


- 10541
- 10570
- 10635
- 40335
- AN5-30
- 20265
- 20270
- 20345
- T-HANDLE PIN SAFETY RING 10472 20310
- AN43B-14A
- CLEVIS PIN SAFETY RING 10440 20310
- 80120

Seat Mount Components:

- WINGNUT SAFETY RING 10520 20310
- AN4-15

Elevator Control Assembly Components:


- WINGNUT SAFETY RING 10520 20310
- ELEVATOR CONTROL ARM 70070
- AN4-14
- AN3-13A
- ELEVATOR PUSH/PULL TUBE 80080
- ELEVATOR TUBE ADJUST 80110
- BOLT WINGNUT SAFETY WING AN4-14 10520 20310
- BOLT CASTLE NUT SAFETY RING AN4-15 10521 20310



1 70365
2 ANG-16A
3 10565
4 ANG-15A
5 ANG-17A
6 10560
7 10510
8 70330
9 70370 SEAT COVER
(not shown)

1	90250	8	10560	15	10500
2	10550	9	10510	16	91001
3	90260	10	AN4-14A	17	91003
4	AN43B-23A	11	20355	18	30470
5	91006	12	20360	19	91004
6	10565	13	91004	20	70250
7	20270	14	AN3-13A	21	91002


A 90280 THROTTLE CABLE




1	10066	6	10375
2	91108	7	91103
3	91110	8	91006
4	10560	9	10120
5	10510		

An exploded view diagram of a mechanical assembly. The components are numbered 1 through 8. Component 1 is a long shaft. Component 2 is a large pulley or flywheel. Component 3 is a small pulley or idler. Component 4 is a bracket or support. Component 5 is a small pin or screw. Component 6 is a small pin or screw. Component 7 is a bracket or support. Component 8 is a small pin or screw. The diagram shows the relative positions and assembly sequence of these parts.


TAPERED STABILIZER - MXLII




ELEVATOR - MXLII




TAIL TUBE ASSEMBLY, 52" PROP - MXLII




KING POST ASSEMBLY






5" AZUSA WHEEL ASSY.



FUEL TANK ASSEMBLY




RUDDER ASSEMBLY - MXLII



QUICKSILVER® Sprint II




'THE ORIGINAL'




NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40265	SPAR, STAB L.E.	15	41230	TUBE, TRI-BAR DOWN
2	40275	SPAR, STAB T.E.	16	70555	TUBE, TRI-BAR CROSS
3	70130	SPAR, ELEVATOR L.E.	17	70231 LW	PEDAL, FOOT
4	40333	FRAME, RUDDER	18	J1285	TIRE
5	70110	FRAME, ELEVATOR		J1310	TUBE
6	40179	TAIL BOOM	19	J1210	WHEEL HUB
7	40214	KINGPOST	20	40360	ALUMINUM NOSE STRUT
8	40169	RIB		40368	STEEL NOSE STRUT
9	40171	RIB, UPPER TIP	21	80011	SEAT MOUNT ASSY
10	80220	WING, SPAR T.E.	22	41300	STRUT, TENSION
11	80230	WING, SPAR L.E.	23	70350	TUBE, SEAT SUPT DOWN
12	40420	STRUT, DIAGONAL	24	40312	AXLE
13	40142	TUBE, ROOT, BLANK	25	42010	STRUT, BELLCRANK
	40145	TUBE, ROOT ASSY	26	40283 LW	STRUT, COMP
14	40291	TUBE, L.G. DOWN	27	40410	STRUT, TIP

99990...Quicksilver Ultralight Info Pak...
 887-02..Owner's Manual.....
 882-02..Assembly Manual.....
 00019...Maintenance Schedule.....

Diagram illustrating the wing structure, showing the leading edge spar (80230) and the trailing edge spar (80220). The diagram also shows the ribs (A, B, C, D, E, F, G) and the aileron control surfaces.




WING COMPONENTS - SPRINT II




ROOT TUBE ATTACHMENT

- | | | |
|----|--------|--------------------|
| 1 | AN4-25 | BOLT |
| 2 | 10560 | 1/4" WASHER |
| 3 | 40142 | ROOT TUBE BLANK |
| 4 | 40145 | ROOT TUBE ASSEMBLY |
| 5 | 80230 | LEADING EDGE SPAR |
| 6 | 10521 | 1/4" CASTLE NUT |
| 7 | 20310 | SAFETY RING |
| 8 | 80220 | TRAILING EDGE SPAR |
| 9 | AN4-17 | BOLT |
| 10 | 20050 | S-1.75 CHANNEL |
| 11 | 20065 | S-1.125 CHANNEL |




DIAGONAL STRUT


- | | | |
|----|---------|--------------------|
| 1 | 80220 | TRAILING EDGE SPAR |
| 2 | 40420 | DIAGONAL STRUT |
| 3 | 20090 | 1 1/4" CHANNEL |
| 4 | 80230 | LEADING EDGE SPAR |
| 5 | AN4-24A | BOLT |
| 6 | 10560 | 1/4" WASHER |
| 7 | 10510 | 1/4" LOCKNUT |
| 8 | AN4-22A | BOLT |
| 9 | 20289 | 1 1/2" SADDLE |
| 10 | AN4-21A | BOLT |




WING TIP




- | | | |
|---|---------|-------------------|
| 1 | 40283 | COMPRESSION STRUT |
| 2 | 40171 | UPPER RIB |
| 3 | AN3-15A | BOLT |
| 4 | 10550 | 3/16" WASHER |
| 5 | 40410 | TIP STRUT |
| 6 | 10500 | 3/16" LOCKNUT |
| 7 | 80230 | LEADING EDGE SPAR |




TRIKE - SPRINT II




NOSE ASSEMBLY




AXLE ASSEMBLY



TRI-BAR ASSEMBLY






FOOT PEDAL ASSEMBLY






91112 RIGHT RUDDER CABLE EXT.
91122 RIGHT RUDDER CABLE
91123 LEFT RUDDER CABLE






66" PROP, TAIL ASSEMBLY HIGH THRUST - SPRINT II






- | | | |
|----|---------|------------------|
| 1 | 40179 | UPPER TAIL BOOM |
| 2 | 40172 | TAIL MOUNT TUBE |
| 3 | AN4-16A | BOLT |
| 4 | 10510 | 1/4" LOCKNUT |
| 5 | 20080 | 1-75 CHANNEL |
| 6 | AN4-20A | BOLT |
| 7 | 20270 | 1/8" x 1" SADDLE |
| 8 | 40425 | TAIL BRACE TUBE |
| 9 | 41150 | TAIL SKID |
| 10 | AN4-36A | BOLT |
| 11 | 20265 | 7/8" SADDLE |
| 12 | 10560 | 1/4" WASHER |
| 13 | AN4-16A | BOLT |
| 14 | 40421 | LOWER TAIL BOOM |
| 15 | AN4-05A | BOLT |
| 16 | 20289 | 1 1/2" SADDLE |
| 17 | AN4-20 | BOLT |
| 18 | 10520 | 1/4" WINGNUT |
| 19 | 20310 | SAFETY RING |







TAPERED STABILIZER - SPRINT II, SPORT II



ELEVATOR - SPRINT II, SPORT II




TAIL TUBE ASSEMBLY, 52" PROP - SPRINT II, SPORT II




TAIL BOOM ATTACHMENT

TO AXLE




- | | | |
|---|--------|--------------------|
| 1 | 40421 | LOWER TAIL BOOM |
| 2 | 20090 | 1 1/4" CHANNEL |
| 3 | AN4-20 | BOLT |
| 4 | 10560 | 1/4" WASHER |
| 5 | 10521 | 1/4" CASTLE NUT |
| 6 | 40179 | UPPER TAIL BOOM |
| 7 | 10635 | COTTER PIN |
| 8 | 40312 | AXLE |
| 9 | 80220 | TRAILING EDGE SPAR |

TO REAR TRAILING EDGE




TRIM ASSEMBLY




- | | | | | | |
|---|----------------------|-------------------|--------|-------|--------------------|
| 1 | BUNGEE/TANG ASSEMBLY | 9 | AN3-7A | BOLT | |
| 2 | 40177 | FORWARD ELEVATOR | 10 | 20241 | 1/4" BUSHING |
| 3 | 80025 | PUSH/PULL TUBE | 11 | 50404 | ELEV. TRIM HANDLE |
| 4 | 10560 | ELEV. ADJUST TUBE | 12 | 10550 | 3/16" WASHER |
| 5 | 10521 | 1/4" WASHER | 13 | 70436 | 1/4" SHOCK CORD |
| 6 | AN4-15 | 1/4" CASTLE NUT | 14 | 20104 | 3/4" SHRINK TUBING |
| 7 | 10500 | BOLT | 15 | 20103 | 3/8" SHRINK TUBING |
| 8 | 10635 | 3/16" LOCKNUT | 16 | 20369 | 20° TANG |
| | | COTTER PIN | 17 | 20370 | FLAT TANG |


REPEAT PROCEDURE WITH
THE BUNGEE THRU TANGS



BUNGEE CORD KNOT




LEVER ASSEMBLY




- | | | | | | |
|---|-------|-------------------------------------|----|---------|---------------------|
| 1 | 45293 | HANDLE PIN | 10 | AN4-14A | BOLT |
| 2 | 50404 | TRIM TAB LEVER | 11 | 10521 | 1/4" CASTLE NUT |
| 3 | 10550 | 3/16" WASHER | 12 | AN4-6A | BOLT |
| 4 | 10500 | 3/16" LOCKNUT | 13 | 10560 | 1/4" WASHER |
| 5 | 10800 | SPRING | 14 | 10510 | 1/4" LOCKNUT |
| 6 | 20344 | NYLON WASHER | 15 | 70350 | AFT SEAT MOUNT TUBE |
| 7 | 10565 | 1/4" FENDER WASHER | 16 | AN4-17A | BOLT |
| 8 | 45290 | HANDLE (STOP) | 17 | 10635 | COTTER PIN |
| 9 | 45266 | ELEVATOR TRIM HANDLE ATTACH BRACKET | 18 | 91103 | 1" HALF CLAMP |
| | | | 19 | 90280 | THROTTLE CABLE |
| | | | 20 | 30220 | FUEL LINE |

5" AZUSA WHEEL ASSY.




FUEL TANK ASSEMBLY




- | | | |
|---------|-----|---------------|
| 13-7292 | ... | 5 GALLON TANK |
| 13-3024 | ... | 6 GALLON TANK |


CONTROL ASSEMBLY




STICK ATTACH TUBE




CONTROL STICK




IDLER TUBE ASSEMBLY




RUDDER CABLE PULLEY








ELEVATOR ADJUST TUBE



ELEVATOR










- | | |
|-------------------------------------|----------------------------------|
| 1 60015 ECCENTRIC LOCKING COLLAR | 11 60188 DRIVE SHAFT ADAPTER |
| 2 60016 PILLOW BLOCK | 12 10393 SOCKET HEAD CAP SCREW |
| 3 60182 DRIVE SHAFT & FLEX COUPLING | 13 10570 5/16\" |
| 4 20233 PULLEY | 14 60064 \"H\" STEEL TRUSS |
| 5 10529 3/4\" | 15 20234 PULLEY |
| 6 10494 BOLT | 16 60171 BUSHING |
| 7 10439 7/16\" | 17 45828 WASHER |
| 8 10437 7/16\" | 18 10394 SOCKET HEAD CAP SCREW |
| 9 10503 7/16\" | 19 30035 BELT DRIVE 3V x 300 (5) |
| 10 60065 LOWER BEARING PLATE | |

⑨ ドライブベルト #30035 (3V X 300)
Bネタイプ (66\"






NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40260	SPAR, STAB L.E. MXII	15	70350	TUBE, SEAT SUPT DOWN
	40265	SPAR, STAB L.E. MXII	16	40291	TUBE, L.G. DOWN
2	40271	SPAR, STAB T.E.	17	70555	TUBE, TRI-BAR CROSS
3	70130	SPAR, ELEVATOR L.E.	18	80011	MOUNT, SEAT ASSY
4	40333	FRAME, RUDDER	19	70231 LW	PEDAL, FOOT
5	70110	FRAME, ELEVATOR	20	J1285	TIRE
6	40225	TAIL BOOM		J1310	TUBE
7	40214	KINGPOST, COMPLT	21	J1210	WHEEL HUB
8	80190	RIB	22	40360	STRUT, NOSE MX
9	80060	WING SPAR, T.E.	23	40301	TENSION, STRUT MXII
10	80050	WING SPAR, L.E.		41300	TENSION, STRUT MX II HP
11	70450	SPOILER PANEL	24	40310	AXLE
12	40244	STRUT, DIAG, SLVD	25	40284	STRUT, COMP, SLVD.
13	40145	TUBE, ROOT ASSY	26	40410	STRUT, TIP
	40142	TUBE, ROOT, BLANK	27	40280	STRUT COMP
14	41230	TUBE, TRI-BAR DOWN			

99990...Quicksilver Ultralight Info Pak...
 832-35..Owner's Manual.....
 832-11..Assembly Manual.....
 00019...Maintenance Schedule.....

MXIIA




NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	20501	UPPER TAIL WIRE	7	41224	LOWER BOOM TUBE
2	30344	PROP - 52x34 LH RECESSED	8	80080	PUSH PULL TUBE
3	60034	BELTS	9	41440	TAIL BRACE TUBE
4	40225	UPPER TAIL BOOM	10	41150	TAIL SKID
5	40170	TAIL MOUNT	11	40243	DIAGONAL STRUT
6	40312	MAIN AXLE			

To determine if your MXII is high performance or not, the following two questions need to be answered:

- 1) Prop Diameter - MXII is 52"
MXIIHP is 66"
- 2) Push/Pull tab location-
MXII is on the side of the AC
MXIIHP is down center of the AC


MXIIHP HIGH PERFORMANCE MODIFICATION KIT










NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	21561	KINGPOST TO UPPER ROOT TB	7	40421	LOWER BOOM TUBE
2	30347	PROP - 66x40 LH ROTAX	8	40178	AFT PUSH PULL TUBE
3	30035x5	BELTS	9	40425	TAIL BRACE TUBE
4	40179	UPPER TAIL BOOM	10	41150	TAIL SKID
5	40172	TAIL MOUNT	11	40420	DIAGONAL STRUT
6	40312	MAIN AXLE			

WING WIRE, BOLT ASSEMBLY - MXII, MXIIHP


LOWER SIDE OF WING




UPPER SIDE OF WING




WING, COMPRESSION STRUT, WING TIP - MXII, MXIHP




COMPRESSION STRUT




DIAGONAL STRUT



WING TIP




TRIKE ASSEMBLY - MXII




TRI-BAR DOWN/CROSS TUBES

A




AXLE

B




AXLE

C




PEDAL MOUNT ASSEMBLY

D





NOSE ASSEMBLY


E



ROOT TUBE - MXII, MXIIA




TRIKE SUB-ASSEMBLY - MXII, MXIIA




THROTTLE ASSEMBLY




TRIKE ASSEMBLY - MXIIHP




NOSE ASSEMBLY




AXLE ASSEMBLY



TRI-BAR ASSEMBLY




FOOT PEDAL ASSEMBLY




91112 RIGHT RUDDER CABLE EXT.
91122 RIGHT RUDDER CABLE
91123 LEFT RUDDER CABLE

STRAIGHT STABILIZER - MXII


STABILIZER ASSEMBLY SHOWN
IN AN UPSIDE DOWN POSITION




A




B




C



D




TAPERED STABILIZER - MXIIHP




A

LEADING EDGE




B

LEADING EDGE




C

TRAILING EDGE






D




TRAILING EDGE






ELEVATOR - MXII, MXIIA




TAIL TUBE ASSEMBLY 52" PROP - MXII



TAIL TUBE ASSEMBLY 52" PROP - MXIIA




KING POST ASSEMBLY




KINGPOST FITTINGS
20148..TOP
20149..BOTTOM


5" AZUSA WHEEL ASSY.





FUEL TANK ASSEMBLY




RUDDER ASSEMBLY - MXII, MXIIA



A





52" PROP/BELT REDUCTIONHP ASSEMBLY - MXII, MXII




BELT (order 4).....60034
OLD STYLE COG BELT...30025


MUFFLER ASSEMBLY



ENGINE MOUNT ASSEMBLY




PROP HUB



QUICKSILVER® Sport

THE ORIGINAL




NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40265	SPAR, STAB L.E.	15	40230	TUBE, TRI-BAR DOWN
2	40269	SPAR, STAB T.E.	16	70351	TUBE, SEAT SUPT DOWN
3	70130	SPAR, ELEVATOR L.E.	17	40296	TUBE, L.G. DOWN
4	40251	SPAR, RUDDER L.E.	18	70550	TUBE, TRI-BAR CROSS
5	40329	FRAME, RUDDER	20	70389 LW	MOUNT, SEAT ASSY
6	70110	FRAME, ELEVATOR	21	J1285	TIRE
7	40179	TAIL BOOM		J1285	TUBE
8	40205	TUBE, KINGPOST AFT	22	J1210	WHEEL HUB
9	40204	TUBE, KINGPOST FWD	23	40365	STRUT, NOSE
10	40165	RIB	24	41300	STRUT, TENSION
11	40139	WING, SPAR T.E.	25	40311	AXLE
12	40138	WING, SPAR L.E.	26	71020	STRUT, BELLCRANK
13	40420	STRUT, DIAGONAL	27	40283	STRUT, COMP
14	40145	TUBE, ROOT ASSY	28	40137	STRUT, TIP
	40142	TUBE, ROOT, BLANK	29	40166	RIB, TIP

99990...Quicksilver Ultralight Info Pak...
 877-01..Owner's Manual.....
 882-01..Assembly Manual.....
 00019...Maintenance Schedule.....

QUICKSILVER® Sprint

'THE ORIGINAL'









NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40265	SPAR, STAB L.E.	15	40230	TUBE, TRI-BAR DOWN
2	40269	SPAR, STAB T.E.	16	70351	TUBE, SEAT SUPT DOWN
3	70130	SPAR, ELEVATOR L.E.	17	40296	TUBE, L.G. DOWN
4	40251	SPAR, RUDDER L.E.	18	70550	TUBE, TRI-BAR CROSS
5	40329	FRAME, RUDDER	19	70389 LW	MOUNT, SEAT ASSY
6	70110 LW	FRAME, ELEVATOR	20	J1285	TIRE
7	40179	TAIL BOOM		J1310	TUBE
8	40205	TUBE, KINGPOST AFT	21	J1210	WHEEL HUB
9	40169	RIB	22	40365	STRUT, NOSE
10	40129	WING, SPAR T.E.	23	41300	STRUT, TENSION
11	40133	WING, SPAR L.E.	24	40311	AXLE
12	40204	TUBE, KINGPOST FWD	25	71020	STRUT, BELLCRANK
13	40420	STRUT, DIAGONAL	26	40283 LW	STRUT, COMP
14	40145	TUBE, ROOT ASSY	27	40410	STRUT, TIP
	40142	TUBE, ROOT, BLANK			







99990...Quicksilver Ultralight Info Pak...
 877-01..Owner's Manual.....
 872-01..Assembly Manual.....
 00019...Maintenance Schedule.....

TRIKE ASSEMBLY




- SPRINT, SPORT




WING WIRE, BOLT ASSEMBLY - SPORT




WING COMPONENTS - SPORT








AILERON CONTROL ASSEMBLY - SPRINT, SPORT




AILERON ASSEMBLY - SPRINT, SPORT




WING WIRE, BOLT ASSEMBLY - SPRINT




WING COMPONENTS - SPRINT




AILERON TO WING ATTACHMENT




ROOT TUBE




DIAGONAL STRUT



COMPRESSION STRUT




BELLCRANK STRUT



20442 ○ 1 1/8" TUBE CONNECTOR GOES AFT

1 3/4" TUBE CONNECTOR GOES FORWARD ○ 20441

KING POST



MUFFLER ASSEMBLY






Diagram illustrating the assembly of the muffler system, showing the following components and their assembly sequence:

- ROOT TUBE**: The main horizontal component.
- MUFFER ATTACH STRAP 61042**: The strap used to secure the muffler to the root tube.
- Fasteners and Spacers**:
 - AN4-21A**: Bolt used to secure the strap to the root tube.
 - 10600**: Washer used between the root tube and strap.
 - AN4-27A**: Bolt used to secure the strap to the muffler.
 - 30380**: Spacers used between the strap and the muffler.
 - 10570**: Bolt used to secure the muffler to the root tube.
 - 10540**: Nut used to secure the muffler to the root tube.
 - 10600**: Washer used between the muffler and root tube.


PROP HUB




ENGINE MOUNT - SPRINT, SPORT ROTAX 447




REDUCTION DRIVE ATTACHMENT



MUFFLER ASSEMBLY




BACK
VIEW









♦ CUT OFF NIPPLES ON THE
TWO CENTER GROMMETS

AILERON BELLCRANK MOUNT




- | | |
|----|----------------------------------|
| 1 | AN5-27A BOLT FOR 66" PROP |
| or | AN4-21A BOLT FOR 52" PROP |
| 2 | WASHER |
| 3 | RUBBER GROMMET |
| 4 | MUFFLER ATTACH STRAP |
| 4A | 40423 SPACER (FOR 66" PROP ONLY) |
| 5 | 951-080 MUFFLER BRACKET |
| 6 | 10540 5/16" LOCKNUT |
| 7 | AN4-27A BOLT |
| 8 | 20345 NYLON WASHER |
| 9 | 10560 1/4" WASHER |
| 10 | 10510 1/4" LOCKNUT |
| 11 | 61046 EXHAUST HEADER 447 |
| | 61045 EXHAUST HEADER 503 |
| 12 | 20467 SAFETY WIRE |
| 13 | 938-795 MUFFLER SPRING |
| 14 | 61041 MUFFLER |


PUSH/PULL TUBE ASSEMBLY, RUDDER CABLE, AXLE SPRINT, SPORT




TAPERED STABILIZER - SPRINT, SPORT




ELEVATOR - SPRINT, SPORT



5" AZUSA WHEEL ASSY.




FUEL TANK ASSEMBLY



QUICKSILVER[®] MXL







THE ORIGINAL








NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40265	SPAR, STAB L.E.	15	40296 LW	TUBE, L.G. DOWN
2	40269 LW	SPAR, STAB T.E.	16	70550	TUBE, TRI-BAR CROSS
3	70131 LW	SPAR, ELEVATOR L.E.	17	70389	MOUNT, SEAT, LIGHTWT. ASSY
4	40329 LW	FRAME, RUDDER	18	70231 LW	PEDAL, FOOT
5	70110 LW	FRAME, ELEVATOR	19	J1285	TIRE
6	40225	TAIL BOOM		J1310	TUBE
7	40165	RIB, UPPER	20	J1210	WHEEL HUB
8	40167	RIB, LOWER	21	40365	STRUT, NOSE
9	40125	WING SPAR, T.E.	22	40302 LW	STRUT, TENSION
10	40136	WING SPAR, L.E.	23	40311	AXLE
11	40166	RIB, TIP	24	71020	STRUT, BELLCRANK
12	40145	TUBE, ROOT ASSY	25	40283 LW	STRUT, COMP
	40142	TUBE, ROOT, BLANK	26	40137	TUBE WING TIP
13	40230	TUBE, TRI-BAR DOWN	27	40210	KINGPOST, COMPLT
14	70350	TUBE, SEAT SUPT DOWN		40215	KINGPOST, BLANK

99990...Quicksilver Ultralight Info Pak...
 832-03..Owner's Manual.....
 00019...Maintenance Schedule.....







WING WIRE, BOLT ASSEMBLY - MXL










WING COMPRESSION STRUT, WING TIP ASSEMBLY - MXL




AILERON CONTROL ASSEMBLY - MXL



AILERON ASSEMBLY - MXL




TRIKE ASSEMBLY - MXL




Look for brake parts in the External Brake Components section of catalog.


WHEEL AXLE




NOSE WHEEL




AXLE






TRI-BAR ASSEMBLY






PEDALS




ROOT TUBE




TRIKE SUB-ASSEMBLY




SEAT ASSEMBLY





THROTTLE ASSEMBLY




TAPERED STABILIZER - MXL




ELEVATOR - MX




TAIL TUBE ASSEMBLY 52" PROP - MX




KING POST ASSEMBLY




5" AZUSA WHEEL ASSY.




FUEL TANK ASSEMBLY




RUDDER ASSEMBLY - MXL



Use CLEVIS PIN (10440) and SAFETY RING (20310) to connect the rudder to the tail skid.





52" PROP/BELT REDUCTION ASSEMBLY - MXL




BELT (order 4).....60034
OLD STYLE COG BELT...30025


MUFFLER ASSEMBLY




ENGINE MOUNT ASSEMBLY



PROP HUB






NO	PART#	DESCRIPTION	NO	PART#	DESCRIPTION
1	40260	SPAR, STAB L.E.	15	70350	TUBE, SEAT SUPT DOWN
2	40271	SPAR, STAB T.E.	16	40291	TUBE, L.G. DOWN
3	70130	SPAR, ELEVATOR L.E.		40296 LW	TUBE, L.G. DOWN
	70131 LW	SPAR, ELEVATOR L.E.	17	70550	TUBE, TRI-BAR CROSS
4	40333	FRAME, RUDDER	18	70389	MOUNT, SEAT, LIGHTWT. ASSY
5	70110	FRAME, ELEVATOR	19	70231	PEDAL, FOOT, L.W.
	70111 LW	FRAME, ELEVATOR	20	J1285	TIRE
6	40225	TAIL BOOM		J1310	TUBE
7	40210	KINGPOST, COMPLT	21	J1210	WHEEL HUB
	40215	KINGPOST, BLANK	22	40365	STRUT, NOSE MX
8	40160	RIB	23	40301	STRUT, TENSION
9	40120	TRAILING EDGE SPAR		40300	STRUT, TENSION (WEIGHT SHIFT)
10	40130	SPAR, L.E.	24	40310	AXLE
11	70450	SPOILER PANEL		40311 LW	AXLE
12	40244	STRUT, DIAG, SLVD	25	40284	STRUT, COMP, SLVD
13	40145	TUBE, ROOT ASSY	26	40410	STRUT, TIP
14	40230	TUBE, TRI-BAR DOWN	27	40280	WING TIP

99990...Quicksilver Ultralight Info Pak...
 50251...Owner's Manual.....
 50250...Assembly Manual.....
 00019...Maintenance Schedule.....








WING WIRE, BOLT ASSEMBLY, MX

LOWER SIDE OF WING




UPPER SIDE OF WING MX LEADING EDGE BOLT KIT


PART#	DESCRIPTION	QTY
10400	1/2-20 x 1 3/4 GR5	2
10420	1/2-20 x 2 1/4 GR5	4
10430	1/2-20 x 2 3/4 GR5	6




WING, COMPRESSION STRUT, WING TIP, MX




COMPRESSION STRUT











DIAGONAL STRUT




WING TIP




TRIKE ASSEMBLY, MX




ROOT TUBE




TRIKE SUB-ASSEMBLY



SEAT ASSEMBLY








THROTTLE ASSEMBLY






STRAIGHT STABILIZER - MX




STABILIZER ASSEMBLY SHOWN
IN AN UPSIDE DOWN POSITION




ELEVATOR - MX




TAIL TUBE ASSEMBLY 52" PROP - MX




KING POST ASSEMBLY




5" AZUSA WHEEL ASSY.






FUEL TANK ASSEMBLY




RUDDER ASSEMBLY - MX




MUFFLER ASSEMBLY



ENGINE MOUNT ASSEMBLY



PROP HUB



30310
KILL SWITCH